



"Express Mail" mailing label number EL546309809US

Date of Deposit November 30, 2000

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" services under 37 C.F.R. 1.10 on the date indicated above and is addressed to the Assistant Commissioner of Patents and Trademarks, Washington, D.C. 20231.

Typed Name of Person Mailing Paper or Fee: Lisa Johnson


Signature: Lisa Johnson

**PATENT APPLICATION  
DOCKET NO. 10003980-1**

**INVENTORS:**

**CRAIG R. WHITE**

**PRINT PROCESSING SYSTEM AND METHOD**



## PRINT PROCESSING SYSTEM AND METHOD

### The Field of the Invention

5           The present invention relates generally to print services and, more particularly, to a network system and method of processing a print job of a user, including distributing the print job to one or more print processing providers each providing a print job processing service.

### Background of the Invention

10           Typically, a party having a print job with print processing needs must either fulfill the print processing needs on their own or contract with a print processing provider offering print processing services which can fulfill the print processing needs. Before contracting with a print processing provider, however,  
15           the party must identify which print processing providers offer specific print processing services such as storage, conversion, translation, enhancement, printing, delivery, etc., which can fulfill the print processing needs of their print job.

            Unfortunately, identifying which print processing providers provide  
20           specific print processing services for a print job is often difficult. A party, for example, may find that the print processing providers do not provide the specific print processing services required or that the print processing providers do not provide the specific print processing services required within desired or necessary parameters. In addition, managing distribution of a print job among  
25           one or more print processing providers as required to fulfill the print processing needs of the print job is often a tedious task.

            Accordingly, a need exists for processing a print job of a user and identifying which print processing providers can fulfill the print job. More particularly, a need exists for managing distribution of the print job among one  
30           or more print processing providers each providing a print job processing service.

**Summary of the Invention**

One aspect of the present invention provides a system for processing a print job of a user. The system includes a print processing system registry and a print job service provider. The print processing system registry is configured to have at least one of a storage capability of a print job storage provider, a processing capability of a print job processing provider, and a printing capability of a print job print provider registered therewith, and the print job service provider is adapted to receive the print job from the user and distribute the print job to at least one of the print job storage provider, the print job processing provider, and the print job print provider.

Another aspect of the present invention provides a system for processing a print job of a user. The system includes a print processing system registry configured to have at least one of a printing capability of a print job print provider, a processing capability of a print job processing provider, and a storage capability of a print job storage provider registered therewith, and a print job service provider adapted to receive the print job from the user and submit the print job to the print processing system registry. As such, the print processing system registry is adapted to determine if the at least one of the printing capability, the processing capability, and the storage capability is necessary for the print job. Thus, the print job service provider is adapted to distribute the print job to at least one of the print job print provider if the printing capability is necessary for the print job, the print job processing provider if the processing capability is necessary for the print job, and the print job storage provider if the storage capability is necessary for the print job.

Another aspect of the present invention provides a system for processing a print job of a user. The system includes a print processing system registry configured to have a printing capability of a print job print provider and at least one of a storage capability of a print job storage provider and a processing capability of a print job processing provider registered therewith, and a print job service provider adapted to receive the print job from the user and submit the print job to the print processing system registry. As such, the print processing

system registry is adapted to determine if the printing capability and the at least one of the storage capability and the processing capability are necessary for the print job. Thus, the print job service provider is adapted to distribute the print job to the print job print provider if the printing capability is necessary for the print job and at least one of the print job storage provider if the storage capability is necessary for the print job and the print job processing provider if the processing capability is necessary for the print job.

Another aspect of the present invention provides a method of processing a print job of a user. The method includes providing a print processing system registry having at least one of a storage capability of a print job storage provider, a processing capability of a print job processing provider, and a printing capability of a print job print provider registered therewith, defining a communication network linking a print job service provider and at least one of the print job storage provider, the print job processing provider, and the print job print provider, receiving the print job at the print job service provider, and distributing the print job to the at least one of the print job storage provider, the print job processing provider, and the print job print provider via the communication network.

Another aspect of the present invention provides a method of processing a print job of a user. The method includes providing a print processing system registry having print job processing services of a plurality of print processing system providers registered therewith, defining a communication network linking a print job service provider, the print processing system registry, and the print processing system providers, receiving the print job at the print job service provider, submitting the print job via the communication network to the print processing system registry, determining via the print processing system registry which of the print job processing services are necessary for the print job, and distributing the print job via the communication network to at least one of the print processing system providers which has the print job processing services necessary for the print job. The step of determining which of the print job processing services are necessary for the print job includes comparing the print

job with the print job processing services of the print processing system providers.

In one embodiment, the present invention provides a system and method of processing a print job of a user, including distributing the print job to at least one of a plurality of print processing system providers each providing a print job processing service. The system and method utilizes a communication network to link the user, a print job service provider, and at least one of the print processing system providers.

10                    **Brief Description of the Drawings**

Figure 1 is a block diagram illustrating one exemplary embodiment of a print processing system according to the present invention.

Figure 2 is a block diagram illustrating one exemplary embodiment of information flow through the print processing system of Figure 1.

15            Figure 3 is a diagram illustrating one exemplary embodiment of a storage capability of a storage provider registered with the print processing system of Figure 1.

Figure 4 is a diagram illustrating one exemplary embodiment of a processing capability of a processing provider registered with the print processing system of Figure 1.

20            Figure 5 is a diagram illustrating one exemplary embodiment of a printing capability of a print provider registered with the print processing system of Figure 1.

Figure 6 is a diagram illustrating one exemplary embodiment of a delivery capability of a delivery provider registered with the print processing system of Figure 1.

Figure 7 is a block diagram illustrating one exemplary embodiment of information flow through a portion of the print processing system of Figure 1.

30            Figure 8 is a diagram illustrating one exemplary embodiment of a print request for a print job processed by the print processing system of Figure 1.

Figure 9 is a block diagram illustrating one exemplary embodiment of information flow through the print processing system of Figure 1.

Figure 10 is a flow diagram illustrating one exemplary embodiment of a method of processing a print job of a user according to the present invention.

5

### **Description of the Preferred Embodiments**

In the following detailed description of the preferred embodiments, reference is made to the accompanying drawings which form a part hereof, and in which is shown by way of illustration specific embodiments in which the invention may be practiced. It is to be understood that other embodiments may be utilized and structural or logical changes may be made without departing from the scope of the present invention. The following detailed description, therefore, is not to be taken in a limiting sense, and the scope of the present invention is defined by the appended claims.

10 A network print processing system according to the present invention is illustrated generally at 10 in Figure 1. Print processing system 10 facilitates processing of a print job 12 of a user 14. In particular, print processing system 10 automatically distributes print job 12 to at least one of a plurality of print processing system providers 16 each providing a respective print job processing service 18.

15 In one exemplary embodiment, print processing system providers 16 include a storage provider 20 providing storage services 22 for print job 12, a processing provider 24 providing processing services 26 for print job 12, a print provider 28 providing print services 30 for print job 12, and a delivery provider 32 providing delivery services 34 for print job 12. One exemplary embodiment of storage services 22, processing services 26, print services 30, and delivery services 34 are each described in detail later in this specification. Print job 12, as used herein, is defined to include a piece of work requiring production and/or reproduction of printed matter. User 14, as used herein, is defined to include an entity or entities such as a consumer, an employee, or a print processing system provider 16 requesting, soliciting, and/or using storage services, processing

services, printing services, finishing services, delivery services, and/or other print job processing services.

In one exemplary embodiment, print processing system 10 includes a print job service provider 36 and a print processing system registry 38. Print job  
5 service provider 36 fronts, coordinates, and/or manages utilization of print job processing services 18 of print processing system providers 16 and print processing system registry 38 constitutes a repository of print job processing services 18 of print processing system providers 16, as described below.

In one exemplary embodiment, print processing system registry 38  
10 includes a print processing data storage system 40. Print processing data storage system 40 constitutes a database of one or more data files for print processing system 10. Examples of print processing data storage system 40 include non-volatile memory (e.g., a hard disk drive or other persistent storage device) and may include volatile memory (e.g., random access memory (RAM)). Another  
15 example of print processing data storage system 40 may include a relational data base management server (RDBMS). Data is transferred to and from print processing data storage system 40 via print processing system registry 38.

In one exemplary embodiment, user 14, print processing system providers 16, print job service provider 36, and print processing system registry  
20 38 are all located remote from each other (i.e., at different locations). As such, user 14, print processing system providers 16, print job service provider 36, and print processing system registry 38 communicate with each other via a communication network 42. More specifically, communications between user 14 and print job service provider 36, communications between print job service  
25 provider 36 and print processing system registry 38, communications between print job service provider 36 and print processing system providers 16, and communications between print processing system providers 16 and print processing system registry 38 are conducted over communication network 42.

Communication network 42, as used herein, is defined to include an  
30 internet communication network, an intranet communication network, or similar

high-speed communication network. In one preferred embodiment, communication network 42 includes an Internet communication network.

Preferably, print job service provider 36 communicates with print processing system registry 38 via communication network 42. It is, however, within the scope of the present invention for print job service provider 36 and print processing system registry 38 to be located at the same location. Thus, print job service provider 36 may communicate with print processing system registry 38 in other manners (e.g., a direct connection or communication link). In addition, print job service provider 36 and print processing system registry 38 may constitute a central print job service system.

Components of print processing system 10, including print processing system providers 16, print job service provider 36, and/or print processing system registry 38, can be implemented in hardware via a microprocessor, programmable logic device, or state machine, in firmware, or in software within a given device. In one embodiment, at least a portion of the software programming is written in JAVA programming language, and each of the main components communicate via communication network 42 using a communication bus protocol. For example, the present invention may or may not use a TCP/IP protocol suite for data transport. Other programming languages and communication bus protocols suitable for use with print processing system 10 will become apparent to those skilled in the art after reading the present application.

Print processing system providers 16, print job service provider 36, and/or print processing system registry 38 include hardware, software, firmware, or a combination of these. In one preferred embodiment, print processing system providers 16, print job service provider 36, and/or print processing system registry 38 include a computer server or other microprocessor based system capable of performing a sequence of logic operations. In addition, print processing system providers 16, print job service provider 36, and/or print processing system registry 38 can include a microprocessor embedded



system/appliance incorporating tailored appliance hardware and/or dedicated single purpose hardware.

As illustrated in Figure 2, print processing system providers 16 register a respective print job processing service 18 with print processing system registry 38 via communication network 42. More specifically, storage provider 20 registers a storage capability 50 with print processing system registry 38, processing provider 24 registers a processing capability 52 with print processing system registry 38, print provider 28 registers a printing capability 54 with print processing system registry 38, and delivery provider 32 registers a delivery capability 56 with print processing system registry 38. Storage capability 50, processing capability 52, printing capability 54, and delivery capability 56 identify attributes of storage services 22 provided by storage provider 20, processing services 26 provided by processing provider 24, print services 30 provided by print provider 28, and delivery services 34 provided by delivery provider 32, respectively, as described below.

It is understood that storage provider 20, processing provider 24, print provider 28, and/or delivery provider 32 can re-register and/or update storage capability 50, processing capability 52, printing capability 54, and/or delivery capability 56, respectively, with print processing system registry 38. If, for example, print provider 28 modifies print services 30 by adding, deleting, and/or upgrading equipment, components, and/or services, print provider 28 can re-register printing capability 54 with print processing system registry 38. In addition, if print provider 28 has excess capacity or, more specifically, the ability to take on additional work, print provider 28 can update printing capability 54 in print processing system registry 38.

In one exemplary embodiment, as illustrated in Figure 3, storage capability 50 includes a plurality of storage capability attributes 60 which define storage services 22 offered by storage provider 20. Storage capability attributes 60 include, for example, a storage provider identification attribute 601, a storage term attribute 602, and a storage cost attribute 603.

Storage provider identification attribute 601 identifies, for example, a name and an address of storage provider 20. Storage term attribute 602 identifies different storage terms that storage provider 20 offers for print job 12. Examples of different storage terms include short term storage and/or long term or archival storage. Storage cost attribute 603 identifies a cost of storage services 22 offered by storage provider 20.

In one exemplary embodiment, as illustrated in Figure 4, processing capability 52 includes a plurality of processing capability attributes 62 which define processing services 26 offered by processing provider 24. Processing capability attributes 62 include, for example, a processing provider identification attribute 621, a print job conversion attribute 622, a print job translation attribute 623, a print job enhancement attribute 624, and a processing cost attribute 625.

Processing provider identification attribute 621 identifies, for example, a name and an address of processing provider 24. Print job conversion attribute 622 identifies different format conversions that processing provider 24 offers for print job 12. An example of a format conversion includes conversion of print job 12 from Microsoft Word® (.DOC) format to Portable Document Format (.PDF).

Print job translation attribute 623 identifies different document translations that processing provider 24 offers for print job 12. An example of a document translation includes translation from Japanese to English.

Print job enhancement attribute 624 identifies different document enhancements that processing provider 24 offers for print job 12. Examples of different document enhancements include red-eye reduction for photographs and image enhancement for graphical and/or textual images.

Processing cost attribute 625 identifies a cost of processing services 26 offered by processing provider 24. It is understood that additional format conversions, document translations, and document enhancements may be identified with print job conversion attribute 622, print job translation attribute 623, and print job enhancement attribute 624, respectively.

In one exemplary embodiment, as illustrated in Figure 5, printing capability 54 includes a plurality of printing capability attributes 64 which define print services 30 offered by print provider 28. Printing capability attributes 64 include, for example, a print provider identification attribute 641, a file formats attribute 642, a print medium sizes attribute 643, a print medium types attribute 644, a printing quality options attribute 645, a printing layout options attribute 646, a color printing options attribute 647, a finishing options attribute 648, and a printing cost attribute 649.

Print provider identification attribute 641 identifies, for example, a name and an address of print provider 28. File formats attributes 642 identifies different file formats that print provider 28 supports and, more specifically, file formats from which print provider 28 is capable of printing. Examples of different file formats include a Microsoft Word® (.DOC) format, a Portable Document Format (.PDF), and a PostScript (.PS) format.

Print medium sizes attribute 643 identifies different sizes of print medium upon which print provider 28 is capable of printing. Examples of different print medium sizes include a Letter size, a Legal size, and an A4 size of print medium. Print medium types attribute 644 identifies different types of print medium upon which print provider 28 is capable of printing. Examples of different print medium types include a Plain, a Gloss, and a Bond type of print medium.

Printing quality options attribute 645 identifies different printing qualities that print provider 28 is capable of offering as print services 30. An example of printing quality includes different printing resolutions such as 1200 dpi, 600 dpi, 300 dpi. Print layout options attribute 646 identifies different printing layouts that print provider 28 is capable of providing as print services 30. Examples of different printing layout options include Portrait and Landscape and Single-Sided and Double-Sided.

Color printing options attribute 647 identifies different color printing options that print provider 28 is capable of offering as print services 30. Examples of different color printing options include Color Printing, Grayscale

Printing, and Monochrome Printing. Finishing options attribute 648 identifies different finishing options that print provider 28 is capable of providing as print services 30. Examples of different print finishing options include Three-Hole Punched, Stapled, and Spiral Bound.

5           Printing cost attribute 649 identifies a cost of print services 30 offered by print provider 28. It is understood that print provider 28 may offer multiple options for each attribute and that certain options may be specific to specific attributes. For example, print provider 28 may offer a specific print medium size or range of sizes per a specific print medium type. In addition, additional file  
10       formats, print medium sizes, print medium types, printing quality options, printing layout options, color printing options, and finishing options, as are well known in the art, may be identified with file formats attribute 642, print medium sizes attribute 643, print medium types attribute 644, printing quality options attribute 645, printing layout options attribute 646, color printing options  
15       attribute 647, and finishing options attribute 648, respectively.

          In one exemplary embodiment, as illustrated in Figure 6, delivery capability 56 includes a plurality of delivery capability attributes 66 which define delivery services 34 offered by delivery provider 32. Delivery capability attributes 66 include, for example, a delivery provider identification attribute  
20       661, a delivery options attribute 662, and a delivery cost attribute 663.

          Delivery provider identification attribute 661 identifies, for example, a name and an address of delivery provider 32. Delivery options attribute 662 identifies different delivery options that delivery provider 32 offers for print job  
12. Examples of different delivery options include Overnight Delivery, Two-  
25       Day Delivery, Air Delivery, and Ground Delivery. Delivery cost attribute 663 identifies a cost delivery services 34 offered by delivery provider 32.

          As illustrated in Figure 7, user 14 accesses communication network 42 and, therefore, print processing system 10 via a computer 70 and a network access point 72. Computer 70 may include, for example, an input device such as  
30       a keyboard and/or a mouse and a display device such as a monitor, as is well

known in the art. Computer 70 may be an appliance such as a personal digital assistant (PDA), scanner, camera, cellular phone, etc.

5 In one exemplary embodiment, computer 70 runs an operating system which can support one or more applications. The operating system is stored in memory and executes on a processor. The operating system is preferably a multi-tasking operating system which allows simultaneous execution of multiple applications, although aspects of this invention may be implemented using a single-tasking operating system.

10 Network access point 72 provides an access point to communication network 42. Communication network 42, therefore, may be accessed from computer 70 via a modem or high-speed communication link, including a wireless or infrared communication link, and network access point 72. In one exemplary embodiment, network access point 72 constitutes a Point-Of-Presence (POP) on communication network 42.

15 It is within the scope of the present invention for multiple users 14 to utilize print processing system 10. Thus, one or more users 14, located in the same and/or different geographical locations and each having a respective print job 12, may access communication network 42 from a respective computer 70. As such, one or more users 14 may use different network access points 72 and/or one or more users 14 may use the same network access point 72.

20 In one exemplary embodiment, user 14 interacts with computer 70 to generate a print request 74 for print job 12 and submit print request 74 for print job 12 to print job service provider 36 via communication network 42. As such, print job service provider 36 receives print request 74 from user 14, processes print request 74, including submitting print request 74 to print processing system registry 38, and distributes print request 74 to print processing system providers 16, as described below. Print request 74 identifies attributes of print job 12 as specified by user 14. Print request 74, as used herein, is defined to include a list and/or a description of a piece of work requiring production and/or reproduction of printed matter.

25  
30

In one exemplary embodiment, a data file 76 for print job 12 is associated with print request 74. As such, data file 76 is submitted with print request 74 and uploaded to print job service provider 36 via communication network 42.

5 As illustrated in Figure 8, print request 74 includes a plurality of print request attributes 80 which define print job 12. Print request attributes 80 are specified and/or selected by user 14 while interacting with computer 70. As such, print request attributes 80 are conveyed to print job service provider 36 from computer 70. Print request attributes 80 include, for example, a user  
10 identification attribute 801, a storage option attribute 802, a processing option attribute 803, a file format attribute 804, a print medium size attribute 805, a print medium type attribute 806, a number of copies attribute 807, a printing quality option attribute 808, a printing layout attribute 809, a color printing option attribute 810, a finishing option attribute 811, and a delivery option  
15 attribute 812.

User identification attribute 801 includes, for example, a name and an address of user 14. Storage option attribute 802 includes a selected or desired storage for print job 12. Processing option attribute 803 includes a selected or desired processing to be applied to print job 12. File format attribute 804  
20 includes a format of the file from which print job 12 is to be printed. Print medium size attribute 805 includes a selected or desired size of medium upon which print job 12 is to be printed. Print medium type attribute 806 includes a selected or desired type of medium upon which print job 12 is to be printed. Number of copies attribute 807 includes the number of copies included in print  
25 job 12. Printing quality option attribute 808 includes a selected or desired printing quality for print job 12. Printing layout attribute 809 includes a selected or desired layout of how print job 12 is to be printed. Color printing option attribute 810 includes a selected or desired color content for print job 12. Finishing option attribute 811 includes a selected or desired finish to be applied  
30 to print job 12. Delivery option attribute 812 includes how and within what time frame print job 12 is to be delivered to user 14. It is understood that not all

attributes need be specified and that additional attributes may be included in print request 74.

In one exemplary embodiment, print job service provider 36 and/or print processing system registry 38 infer or determine a number of print request attributes 80 from data file 76 for print job 12, as submitted with print request 74 for print job 12. Print job service provider 36 and/or print processing system registry 38 determine, for example, file format attribute 804, print medium size attribute 805, and/or printing layout attribute 809 of print job 12 from data file 76. User 14, therefore, need only enter those print request attributes 80 which are not determined by print job service provider 36 and/or print processing system registry 38. As such, it is not necessary for a user 14 to enter all print request attributes 80.

As illustrated in Figure 9, print job service provider 36 receives print job 12 and, more specifically, print request 74 for print job 12 and data file 76 for print job 12 from user 14. In one exemplary embodiment, print job service provider receives print request 74 and data file 76 from user 14 via communication network 42. As such, print job service provider 36 manages and/or coordinates distribution of print job 12 and, more specifically, print request 74 for print job 12 and data file 76 for print job 12 to one or more print processing system providers 16. Print job service provider 36 distributes print request 74 and data file 76 to print processing system providers 16 based on print job 12 and print job processing services 18 of print processing system providers 16.

To determine which print job processing services 18 fulfill print job 12 and, therefore, to which print processing system providers 16 to distribute print request 74 and data file 76 for print job 12, print job service provider 36 distributes print request 74 and data file 76 to print processing system registry 38. In one exemplary embodiment, print job service provider 36 distributes print request 74 and data file 76 for print job 12 to print processing system registry 38 via communication network 42. As such, print processing system registry 38 compares print request 74 and/or data file 76 with storage capability 50 of

storage provider 22, processing capability 52 of processing provider 24, printing capability 54 of print provider 28, and delivery capability 56 of delivery provider 32. More specifically, print processing system registry 38 compares print request attributes 80 of print request 74 and/or data file 76 with storage  
5 capability attributes 60 of storage services 22, processing capability attributes 62 of processing services 26, printing capability attributes 64 of print services 30, and delivery capability attributes 66 of delivery services 34.

Print processing system registry 38 determines whether storage capability 50, processing capability 52, printing capability 54, and/or delivery capability 56  
10 of storage provider 22, processing provider 24, print provider 28, and/or delivery provider 32, respectively, fulfills a respective aspect of print job 12, namely storage, processing, printing, and/or delivery of print job 12. Thus, print processing system registry 38 identifies which print job processing services 18 and, therefore, which print processing system providers 16 are necessary for  
15 print job 12. Accordingly, print job service provider 36 distributes print request 74 for print job 12 and data file 76 for print job 12 to those print processing system providers 16 necessary for print job 12.

If, for example, print request 74 for print job 12 indicates storage of print job 12, as specified by storage option attribute 802 of print request 74, then, print  
20 job service provider 36 distributes print request 74 and data file 76 for print job 12 to storage provider 20. As such, storage provider 20 stores print request 74 and data file 76 for print job 12 based on print request 74. Thus, print job service provider 36 retrieves print request 74 and data file 76 for print job 12 from storage provider 20 when necessary. Storage of print request 74 and data  
25 file 76 may be required, for example, before and/or after print job 12 is printed.

If, for example, print request 74 for print job 12 indicates processing of print job 12, as specified by processing option attribute 803 of print request 74, then, print job service provider 36 distributes print request 74 and data file 76 for print job 12 to processing provider 24. As such, processing provider 24  
30 processes print job 12 and, more specifically, data file 76 for print job 12 based on print request 74. Processing of print job 12 may be required, for example, to



convert data file 76 from one format to another format for printing. After processing print job 12, processing provider 24 submits processed print job 12 to print job service provider 36 for subsequent distribution. It is, however, within the scope of the present invention for processing provider 24 to submit print job  
5 12 to another print processing system provider 16, such as print provider 28.

It is understood that print request 74 for print job 12 and data file 76 for print job 12 may be distributed to multiple print processing system providers 16. Thus, only those print request attributes 80 which are relevant to the respective print processing system provider 16 need be distributed to each print processing  
10 system provider 16.

To print print job 12, print job service provider 36 submits print request 74 and data file 76 for print job 12 to print provider 28. Print request 74 identifies attributes of print job 12 and data file 76 includes a content of print job 12. Thus, print provider 28 prints print job 12 based on print request 74 and data  
15 file 76.

If, for example, print request 74 for print job 12 indicates delivery of print job 12, as specified by delivery option attribute 812 of print request 74, then, print provider 28 distributes printed print job 12 to delivery provider 32. In addition, print job service provider 36 distributes print request 74 for print job 12 and data file 76 for print job 12 to delivery provider 32. Print request 74  
20 specifies, for example, a delivery option for print job 12 and data file 76 includes delivery information for print job 12. Thus, delivery provider 32 delivers print job 12 to user 14 based on print request 74 and data file 76. Distribution of print job 12 from print provider 28 to delivery provider 32 is indicated by dashed line  
25 90 and delivery of print job 12 from delivery provider 32 to user 14 is indicated by dashed line 92.

It is understood that storage provider 20, processing provider 24, print provider 28, and/or delivery provider 32 may include one or more storage providers, processing providers, print providers, and/or delivery providers,  
30 respectively. Thus, print processing system registry 38 may identify one or more storage providers, processing providers, print providers, and/or delivery

providers which are capable of fulfilling print job 12. Print job service provider 36, therefore, may select one or more storage providers, processing providers, print providers, and/or delivery providers to complete print job 12. In addition, print job service provider 36 may present multiple offers to user 14 for  
5 completion of print job 12. User 14, therefore, may select one or more storage providers, processing providers, print providers, and/or delivery providers to complete print job 12. Print job service provider 36 and/or user 14 may select storage provider 20, processing provider 24, print provider 28, and/or delivery  
10 provider 32 based, for example, on a proximity, cost, and/or rating of storage services 22, processing services 26, print services 30, and/or delivery services 34, respectively. In addition, print job service provider 36 may solicit storage provider 20, processing provider 24, print provider 28, and/or delivery provider 32 for an updated capability, such as cost, to complete print job 12.

It is also understood that print job service provider 36 may include one or  
15 more print job service providers. As such, each print job service provider 36 may access the same print processing system registry 38. Thus, user 14 may select one or more print job service providers to complete print job 12. User 14 may select print job service provider 36 based, for example, on a proximity, cost, and/or rating of services provided by the print job service providers.

20 In Figure 10, a flow diagram illustrating one exemplary embodiment of a method of processing print job 12 according to the present invention is illustrated generally at 100. Reference is also made to Figures 1-9. At step 110, at least one print processing system provider 16 registers a respective print job processing service 18 with print processing system registry 38 and, at step 112,  
25 user 14 submits print job 12 to print job service provider 36. More specifically, at step 110, storage provider 20, processing provider 24, print provider 28, and/or delivery provider 32 register storage capability 50 of storage services 22, processing capability 52 of processing services 26, printing capability 54 of print services 30, and/or delivery capability 56 of delivery services 34 with print  
30 processing system registry 38. In addition, at step 112, user 14 submits print

request 74 for print job 12 and data file 76 for print job 12 to print job service provider 36.

In one exemplary embodiment, print processing system providers 16 register a respective print job processing service 18 with print processing system registry 38 via communication network 42, as illustrated in Figure 2, and user 14  
5 submits print request 74 for print job 12 and data file 76 for print job 12 to print job services provider 36 via communication network 42, as illustrated in Figure 7.

Next, in step 114, after print job service provider 36 receives print job 12,  
10 print job service provider 36 coordinates or manages completion of print job 12. As such, print job service provider 36 determines which print job processing services 18 are necessary to fulfill print job 12. Thus, print job service provider 36 automatically submits print job 12 to print processing system registry 38 to determine which print processing system providers 16 are necessary to fulfill  
15 print job 12. More specifically, print job service provider 36 submits print request 74 for print job 12 and data file 76 for print job 12 to print processing system registry 38 via communication network 42, as illustrated in Figure 9.

Next, in step 116, print job 12 is compared with print job processing services 18, as registered with print processing system registry 38 in step 110.  
20 More specifically, print request 74 for print job 12 and data file 76 for print job 12 are compared with storage capability 50 of storage services 22, processing capability 52 of processing services 26, printing capability 54 of print services 30, and/or delivery capability 56 of delivery services 34. Print processing system registry 38, therefore, compares print request attributes 80 with storage  
25 capability attributes 60, processing capability attributes 62, printing capability attributes 64, and/or delivery capability attributes 66. Thus, print processing system registry 38 identifies which print processing system providers 16, such as storage provider 20, processing provider 24, print provider 28, and/or delivery provider 32 are necessary to fulfill print job 12.

30 In one exemplary embodiment, submitting print job 12 to print job service provider 36 in step 112 includes selecting print job service provider 36

from a plurality of print job service providers. User 14, for example, may select print job service provider 36, as described above. In addition, in step 116, print processing system registry 38 may identify one or more storage providers, processing providers, print providers, and/or delivery providers which are  
5 capable of fulfilling print job 12. User 14, therefore, may select storage provider 20, processing provider 24, print provider 28, and/or delivery provider 32, as described above.

Next, in step 118, print job service provider 36 distributes print job 12 to those print processing system providers 16 necessary for print job 12, as  
10 identified in step 116. More specifically, print job service provider 36 automatically distributes print job 12 to storage provider 20, processing provider 24, print provider 28, and/or delivery provider 32. In one exemplary embodiment, print job service provider 36 distributes print request 74 for print job 12 and data file 76 for print job 12 to storage provider 20, processing  
15 provider 24, print provider 28, and/or delivery provider 32 via communication network 42, as illustrated in Figure 9.

Then, in step 120, print processing system providers 16 complete print job 12, including storing, processing, and/or printing print job 12, and, in step 122, deliver print job 12 to user 14.

20 In one illustrative embodiment, print job service provider 36 distributes print request 74 for print job 12 and data file 76 for print job 12 to storage provider 20 for storage, as specified by storage option attribute 802 of print request 74. Thereafter, print job service provider 36 retrieves print request 74 and data file 76 from storage provider 20 and distributes print request 74 and  
25 data file 76 to processing provider 24 for processing, as specified by processing option attribute 803 of print request 74. Thereafter, print job service provider 36 distributes print request 74 and data file 76, as processed by processing provider 24, to print provider 28 for printing, as specified by file format, print medium size, print medium type, number of copies, printing quality option, printing  
30 layout, color printing, and/or finishing option attributes 804-811, respectively, of print request 74. In addition, print job service provider 36 distributes print

request 74 and data file 76 to delivery provider 32. Print provider 28, therefore, distributes printed print job 12 to delivery provider 32 for delivery, as specified by delivery option attribute 812 of print request 74. Thus, delivery provider 32 delivers completed print job 12 to user 14.

5 By distributing print job 12 to print processing system providers 16, print processing system 10 manages processing of print job 12 for user 14. Since print job processing services 18 of print processing system providers 16 are registered with print processing system registry 38, user 14 need only submit print request 74 for print job 12 and data file 76 for print job 12 to print job  
10 service provider 36. Thus, print processing system 10 automatically determines which print processing system providers 16, including storage provider 20, processing provider 24, print provider 28, and/or delivery provider 32, are necessary to fulfill print job 12. In addition, by providing print processing system registry 38, print processing system 10 allows print processing system  
15 providers 16 to effectively and efficiently advertise their respective print job processing services 18 to print job service provider 36. Furthermore, by defining communication network 42 linking user 14, print job service provider 36, print processing system registry 38, and print processing system providers 16, print request 74 for print job 12 and data file 76 for print job 12 can be easily and  
20 efficiently distributed during processing.

Although specific embodiments have been illustrated and described herein for purposes of description of the preferred embodiment, it will be appreciated by those of ordinary skill in the art that a wide variety of alternate and/or equivalent implementations calculated to achieve the same purposes may  
25 be substituted for the specific embodiments shown and described without departing from the scope of the present invention. Those with skill in the chemical, mechanical, electro-mechanical, electrical, and computer arts will readily appreciate that the present invention may be implemented in a very wide variety of embodiments. This application is intended to cover any adaptations or  
30 variations of the preferred embodiments discussed herein. Therefore, it is

